

CORRECTION

Open Access



Correction: Modified prolonged exposure therapy as Early Intervention after Rape (The EIR-study): study protocol for a multicenter randomized add-on superiority trial

Tina Haugen^{1,2,3*}, Joar Øveraas Halvorsen^{1,3}, Oddgeir Friborg⁴, Melanie Rae Simpson⁵, Paul Jarle Mork⁵, Gustav Mikkelsen^{2,6}, Ask Elklit⁷, Barbara O. Rothbaum⁸, Berit Schei^{5,9} and Cecilie Hagemann^{2,9}

Correction: BMC Trials 24, 126 (2021)

<https://doi.org/10.1186/s13063-023-07147-w>

Following publication of the original article [1], we have been informed that the box entitled “Baseline assessments” in Fig. 1 was misplaced. The correct placement should have been after “Informed consent” and before “Randomization”.

The original article can be found online at <https://doi.org/10.1186/s13063-023-07147-w>.

*Correspondence:

Tina Haugen
tina.haugen@ntnu.no

¹ Department of Psychology, Norwegian University of Science and Technology (NTNU), NO-7491 Trondheim, Norway

² Department of Clinical and Molecular Medicine, Norwegian University of Science and Technology (NTNU), NO-7491 Trondheim, Norway

³ St. Olavs Hospital, Trondheim University Hospital, Pb. 3250 Torgarden, 7006 Trondheim, Norway

⁴ Department of Psychology, The Arctic University of Norway (UiT), Pb. 6050 Langnes, N-9037 Tromsø, Norway

⁵ Department of Public Health and Nursing, Norwegian University of Science and Technology (NTNU), Pb. 8905, N-7491 Trondheim, Norway

⁶ Department of Clinical Chemistry, St. Olavs Hospital, Trondheim University Hospital, Pb. 3250 Torgarden, 7006 Trondheim, Norway

⁷ National Danish Center for Psychotraumatology, University of Southern Denmark, Campusvej 55, 5230 Odense, Denmark


⁸ Department of Psychiatry, Veterans Program and the Trauma and Anxiety Recovery Program, Emory University School of Medicine, Atlanta, USA

⁹ Department of Obstetrics and Gynecology, St. Olavs Hospital, Trondheim University Hospital, Pb. 3250 Sluppen, NO-7006 Trondheim, Norway




© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Originally published figure:



Corrected figure:



The original article has been corrected.

Published online: 03 October 2023

Reference

1. Haugen, et al. Modified prolonged exposure therapy as Early Intervention after Rape (The EIR-study): study protocol for a multicenter randomized add-on superiority trial. *BMC Trials*. 2021;24:126. <https://doi.org/10.1186/s13063-023-07147-w>.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

