

ORAL PRESENTATION

Open Access

Recruiters to randomised trials can be trained to facilitate recruitment and informed consent by exploring patients' treatment preferences

Nicola Mills^{1*}, Jane Blazeby¹, Freddie Hamdy², David Neal³, Bruce Campbell⁴, Jenny Donovan¹

From 2nd Clinical Trials Methodology Conference: Methodology Matters
Edinburgh, UK. 18-19 November 2013

Background

Patient preferences for treatments are often cited as barriers to recruitment in randomised controlled trials (RCTs) but little is known about how to approach this issue in the context of trial recruitment. We investigated how recruitment staff reacted to patients' treatment preferences within three different pragmatic RCTs.

Methods

Audio-recordings of 85 RCT recruitment appointments with 69 participants in three UK multicentre RCTs were analysed using content and thematic analysis. Recruiters' responses to treatment preferences were assessed in one RCT (ProtecT), where training on exploring preferences was given, and compared with two other RCTs where this type of specific training was not given.

Results

Recruiters elicited treatment preferences similarly in all RCTs, but responses to them differed substantially. In the ProtecT RCT, recruiters explored participants' preferences at length in four key ways: eliciting and acknowledging the preference rationale, balancing treatment views, empathising with the situation, and emphasising the need to keep an open mind and consider all treatments. Conversely in the other RCTs, treatment preferences were usually accepted by recruiters with little discussion and few patients randomised.

Conclusion

Recruiters can be trained to elicit and address patients' treatment preferences enabling those who may not have

considered trial participation to do so. Training interventions for recruiters are required to facilitate recruitment and informed consent.

Acknowledgements

We acknowledge the study funders (MRC ConDuCT Trials Methodology Hub, NIHR HTA and RfPB), all participating clinicians and patients, and the CIs and PIs of the trials.

Authors' details

¹University of Bristol, Bristol, UK. ²University of Oxford, Oxford, UK. ³University of Cambridge, Cambridge, UK. ⁴University of Exeter, Exeter, UK.

Published: 29 November 2013

doi:10.1186/1745-6215-14-S1-O63

Cite this article as: Mills et al.: Recruiters to randomised trials can be trained to facilitate recruitment and informed consent by exploring patients' treatment preferences. *Trials* 2013 **14**(Suppl 1):O63.

Submit your next manuscript to BioMed Central
and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



¹University of Bristol, Bristol, UK

Full list of author information is available at the end of the article